

**OKI**



## **Pro330S Label Printer**

The fast and compact colour printing solution for production, POS and POI applications

**BUILT TO PERFORM.**  
**BUILT TO CREATE.**



# Pro330S

The Pro330S is the world's smallest<sup>(\*)</sup> LED dry toner colour label printer and helps companies to produce versatile and professional colour labels and tags that maximise advertising impact vs. standard black and white thermal prints.

## Compact and easily transportable

Due to the compact size, the Pro330S is ready to use everywhere and easy to transport. It can be used in a variety of environments: Printing businesses, manufacturing and logistics, healthcare, events/hospitality/ amusement parks, retail, nurseries, theatres, museums and more!

## Colour labels for better impact and durability

The Pro330S makes it fast and easy to print high-quality full-colour labels and tags for signage and product identification that will attract customer attention and increase sales. The Pro330S provides excellent print results using plain paper and coated paper labels, synthetic paper and PET labels and can also be used for sites that require resistance to water damage and condensation - water and alcohol proof!

## Colour printing on roll paper for improved efficiency

Colour printing on roll paper and auto-cutting improves operational efficiency in shelf tag and POP replacement in retail and distribution stores. Print on die-cut labels as small as 21 mm wide x 50 mm long and with the optional roll paper holder, die-cut labels and plain paper up to 3 inches (82 mm) wide and 8 inches (20 cm) in diameter. The labels can then be printed and cut from the roll paper each time using the standard automatic cutting function (roll to cut printing)<sup>(\*)</sup>.

### Applications include:

- Vouchers
- Coupons
- Value-added receipts
- ID tags with photos
- Visitor Badges
- Price and Promotion stickers
- Pasted Labels
- Sleeves
- Loop ribbons
- Labels for cardboards and boxes



# Pro330S - Colour Label Printer

## PRINTER

<b>Printing method</b>	Digital 3 LED full colour dry type (CMY)
<b>Printing speed</b>	Max. 152.4mm (6") / sec.
<b>Time To First Print</b>	5 sec; in standby (at Cold Start) <sup>(*)</sup>
<b>Warm-up time</b>	23 seconds (when power is turned on)
<b>Resolution</b>	1200 x1200 dpi
<b>Memory</b>	512 MB
<b>Toner cartridge</b>	Integrated CMY tri-color toner cartridge

## INTERFACES AND SOFTWARE

<b>Connection</b>	High-speed USB 2.0, 10Base-T/100Base-TX Ethernet (basic) IEEE802.11 b/ g/ n/ a wireless LAN (optional)
<b>Printing Language</b>	PCL6(XL), PCL5c
<b>Networks &amp; Protocols</b>	TCP/ IPv4, TCP/ IPv6, NetBIOS over TCP, LPR, Port9100, IPP, FTP, HTTP, TELNET, SMTP, POP3, SNMPv1/ v3, DHCP, DHCPv6, DNS, DDNS, UPnP, WINS, Bonjour, SNTP, LLTD, WSD, SSL / TLS, IPsec, IEEE802.1X
<b>OS Compatibility</b>	Windows 8, 8.1, 10; Windows Server 2012, 2012 R2, 2016

## FONT SUPPORT

<b>Font Support</b>	4 bitmap fonts, 27 extended fonts
---------------------	-----------------------------------

## PRINTER SETUP

<b>Display</b>	Mono LCD; 16 Characters x2 Line
<b>Environment</b>	<b>Operating temperature/humidity:</b> 10°C to 32°C (17°C to 27°C recommended) / 20% to 80% RH (50% to 70% RH recommended)
<b>Power Supply</b>	Single phase 220-240VAC, frequency 50/60Hz +/-2%
<b>Power Consumption</b>	<b>General:</b> approx. 250W; <b>Max:</b> 650W; <b>Standby:</b> 10W; <b>Power Save:</b> approx. 5W; <b>Sleep Mode:</b> approx. 1W (depending on device settings).
<b>Product size (H×W×D)</b>	195×198×380mm
<b>Product Weight</b>	Approx. 9.5 kg
<b>Printer Life</b>	120km or 5 years

## PAPER MANAGEMENT

<b>Width</b>	25 - 86mm
<b>Length</b>	53 - 551mm
<b>Thickness</b>	0.08 - 0.25mm
<b>Media Feeding</b>	Rolled paper, folding, single sheet
<b>Mark Type</b>	Black marks (printed side, back), holes, notches, gaps, no marks
<b>Cutter</b>	Built-in rotary cutter (cutting length 53-551 mm)
<b>Media Sensor</b>	Transmissive sensor, Reflective sensor

<sup>(\*)</sup> Standard for installation area for colour LED/laser printers, based on our own research as of September 2021.

<sup>(\*)</sup> When cutting multiple labels, the maximum paper length is 551 mm or less.

<sup>(\*)</sup> Time until the edge of the paper comes out of the ejection port after the printing operation is started.

**Consumables Information:** For the protection of your printer, and in order to ensure that you benefit from its full functionality, this model has been designed to operate only with genuine OKI toner cartridges. These can be identified by the OKI trademark. Any other toner cartridge may not operate at all, even if it is described as "compatible", and if it does work, your printer's performance and print quality may be degraded.

**Media Information:** Certain types of media may not provide optimal results under default conditions.

## OPTION

<b>Wireless LAN Module</b>	Modules that connect wirelessly
<b>Presenter Device</b>	A device that allows the presenter device to be stopped at the mouth before the printed paper is completely ejected

## OPTION – ROLL PAPER HOLDER (ROLL PAPER FEEDING GUIDE)

<b>Media Type</b>	Roll paper, die-cut label roll paper
<b>Width</b>	25 - 86mm
<b>Roll Outer Diameter</b>	Max. 203.2mm (8 inches)
<b>Core Inner Diameter</b>	50.8mm (2 inches) or 76.2mm (3 inches)
<b>Roll Weight</b>	Max. 2.4 kg
<b>Printing Side</b>	Outside the printing surface only (outer rolls)
<b>Product size (H×W×D)</b>	232×175×311mm

## CONSUMABLES

<b>Toner Cartridge*</b>	3-color integrated (CMY): approx. 5,000 sheets
<b>Image drum**</b>	3-color one-piece type (CMY) about 25,000 sheets
<b>Transfer belt**</b>	Approx. 100,000 sheets
<b>Fuser**</b>	Approx. 100,000 sheets

\* For a 25.4mm (1 inch) square black rectangle printed on 216mm x 58mm paper. Reference values based on our in-house testing.

\*\* For printing only one sheet of 216mm x 58mm paper at a time. Reference values based on our in-house testing.

Printer shipped with toner for approx. 5,000 sheets\*.



Pro330S Label Printer



Pro330S Label Printer with optional Presenter



Pro330S Label Printer with optional Roll Paper Holder

## **Business Printing Specialists**

OKI's printer division is a global business-to-business brand dedicated to creating cost effective, professional in-house printing solutions which are designed to increase the efficiency of today's and tomorrow's businesses and their workflows. As pioneers in innovative print technologies from digital LED to High Definition Colour, we have a portfolio of award winning products and solutions enabling businesses to achieve both image focused, vibrant, quality print communications and budget flexibility.

OKI has a range of Office Printers, Graphic Arts Printers, Transfer Media Printers and Label Printers for workgroups and businesses of all sizes with superior media-handling capabilities. These best in class products are designed to be easy to use making the job of in-house print easier.

## **Considering the Environment**

As part of the OKI Group's Charter of Corporate Conduct, OKI continually reviews its efforts to provide environmentally sound solutions to its customers:

- Our products are designed and manufactured with reducing the impact on the environment in mind.
- Increasing the amount of our hardware products and consumables that are recycled is one of our strategic objectives.
- We feel responsible for conducting our business in an environmentally sound manner, contributing to conservation and activities within our local communities.

OKI's Green Leaf symbol, found on all products and packaging, represents our total commitment to collection, recycling and environmental processes.

# **OKI**

### **OKI Data Australia Pty. Ltd.**

Level 1, 67 Epping Road  
Macquarie Park, NSW 2113  
Australia  
T 1800 800 140

### **OKI Data New Zealand**

T 0800 654 669

[www.oki.com/au](http://www.oki.com/au)